

PATENT APPLICATION

## THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q78072

Nobuyuki ASAKURA, et al.

Appln. No.: 10/687,963

Group Art Unit: 2831

Confirmation No.: 8958

Examiner: William H. Mayo, III

Filed: October 20, 2003

For:

WATER CUTOFF STRUCTURE OF COVERED WIRE

### EXCESS CLAIM FEE PAYMENT LETTER

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

An Amendment Under 37 C.F.R. § 1.111 is attached hereto for concurrent filing in the above-identified application. The resulting excess claim fee has been calculated as shown below:

	After Amendment	Highest No. Previously I For						
All Claims	14	- 2	0 =		X	\$50.00	=	\$.00
Independent	7	-	3 =	4	X	\$200.00	=	\$800.00
				TO	ΓAL		=	\$800.00

A check for the statutory fee of \$800.00 is attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this letter is enclosed.

Respectfully submitted,

SUGHRUE MION, PLLC

Telephone: (202) 293-7060

Facsimile: (202) 293-7860

washington office 23373

CUSTOMER NUMBER

Date: November 9, 2005

Stephen R. Valancius Registration No. 57,574

-



## PATENT APPLICATION

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q78072

Nobuyuki ASAKURA, et al.

Appln. No.: 10/687,963

Group Art Unit: 2831

Confirmation No.: 8958

Examiner: William H. Mayo, III

Filed: October 20, 2003

For:

WATER CUTOFF STRUCTURE OF COVERED WIRE

## AMENDMENT UNDER 37 C.F.R. § 1.111

### MAIL STOP AMENDMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated August 12, 2005, please amend the aboveidentified application as follows on the accompanying pages.

### TABLE OF CONTENTS

AMENDMENTS TO THE CLAIMS.	
REMARKS	

11/10/2005 HALI11 00000029 10687963

01 FC:1201

800.00 OP